

LISTING OF CLAIMS:

This listing of claims provided below will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A ~~fatty acid composition~~ of structured fat composition comprising:

Fatty Acid	wt %
Palmitic	about 4.9
Stearic	about 4.8
Oleic	about 17.1
Linoleic	about 35.2
Arachidic	about 1.7
Behenic	about 34.7
Lignoceric	about 1.6

behenic acid, oleic acid and linoleic acid as major fatty acids and palmitic acid, stearic acid, arachidic acid and lignoceric acid as minor fatty acids.

2-6. (Canceled).

7. (Currently Amended) The structured fat composition of claim 1, wherein the behenic acid is present in an amount from ~~about 24.7% to 34.7%~~ 5.1% to 52.5% by weight of the total fatty acid composition.

8. (Canceled).

9. (Currently Amended) The structured fat composition of claim 1, wherein the linoleic acid is present in an amount from ~~about 33.7% to 51.5%~~ 19.7% to 60.0% by weight of the composition and oleic acid is present in an amount from about 12.4% to 39.5% by weight of the total fatty acid composition.

10. (Canceled).

11. (Currently Amended) A method of obtaining a structured fat ~~that is made by a process~~ comprising:

inter-esterifying one or more edible oils with ~~1,3-dibehenin~~ ethyl behenate in the presence of a thermostable lipase at a temperature in the range of ~~about~~ 25 °C to 150 °C for at least about 0.5 hours; and

recovering the structured fat,

wherein the thermostable lipase ~~enzyme~~ is a 1,3-specific lipase selected from ~~sources including~~ *Mucor miehei*, LIPOZYMETM.

12. (Currently Amended) The structured fat composition of claim 1, wherein the structured fat composition delivers around ~~5.35~~ 5.36 K cal/g.

13. (Currently Amended) The calorific availability of the structured lipid with the fatty acid composition as in claim 12 is structured fat composition of claim 2, wherein the structured fat composition delivers around 5.35 5.36 K cal/g.

14-15. (Canceled).

16. (New) The structured fat composition of claim 1, wherein the solid fat index (SFI) of the structured fat is zero at 40 °C.

17. (New) A structured fat with the fatty acid composition comprising:

- (i) 34.7% behenic acid;
- (ii) 17.1% oleic acid;
- (iii) 35.2% linoleic acid,
- (iv) 4.9% palmitic acid;
- (v) 4.8% stearic acid;
- (vi) 1.7% arachidic acid; and
- (vii) 1.6% lignoceric acid.